

IN THE CLAIMS:

On page 11 at line 1, please delete “Claims” and insert --What is Claimed is:-- therefor.

Please amend the claims as follows:

1. *(currently amended)* A method for updating a firmware of a mobile device belonging to a network, ~~characterized in that the method comprises~~ comprising steps of:
 - transmitting update data from a network unit using a mobile device (403), to which there is connected a logic, external memory unit,
 - storing the update data in the external memory unit (203, 303, 406) of the mobile device, and
 - programming the stored update data in a permanent memory unit (204, 306, 408) of the mobile device, according to the programming logics provided in the mobile device.
2. *(currently amended)* A method according to claim 1, ~~characterized in that it comprises~~ comprising a step of transmitting the update data from the network unit to the mobile device as a response to a certain function that triggers the transmission, said function being one of the following: choosing from the network unit's menu (402) by a user, choosing from the mobile device's menu (201) by a user, an appearing of new update data to the network unit, or an outdating (301) of the firmware of the mobile device.
3. *(currently amended)* A method according to claim 1, ~~characterized in that~~ wherein the logic, external memory unit is connected to the mobile device by means of an external memory bus (405).
4. *(currently amended)* A method according to claim 1, ~~characterized in that it comprises~~ comprising a step of transmitting the update data by the mobile device (403), where the update data is converted to be compatible with the memory unit and with the memory bus (405) to be connected thereto, whereafter the converted update data is transmitted to the external memory unit along the memory bus (406).
5. *(currently amended)* A method according to claim 1, ~~characterized in that it comprises~~ comprising a step of transmitting the update data by a mobile device, through which the

update data is directly transmitted further to the external memory bus of the mobile device along a memory bus (203).

6. *(currently amended)* A method according to claim 1, ~~characterized in that it comprises~~ comprising a step of programming the update data stored in the external memory unit in the mobile device, when the mobile device is switched on for the next time (304, 307, 407, 409).

7. *(currently amended)* A method according to claim 1, ~~characterized in that it comprises~~ comprising a step of copying the programming logics for programming the update data from an external memory unit to the permanent memory unit of the mobile device prior to programming the update data (305).

8. *(currently amended)* A method according to claim 1, ~~characterized in that it comprises~~ comprising a step of storing the programming logics for updating the update data from the permanent memory of the mobile device to the RAM memory of the mobile device prior to programming the update data.

9. *(currently amended)* An arrangement for updating a firmware of a mobile device belonging to a network, ~~characterized in that the arrangement includes~~ including

- an external memory unit (106) for storing the update data,
- means for transmitting the update data from a network (107) unit to the external memory unit (106) of the mobile device,
- means for storing the update data to the external memory unit (106) of the mobile device, and
- means for programming the stored update data to a permanent memory unit (102) of the mobile device by means of a programming driver provided in the mobile device.

10. *(currently amended)* An arrangement according to claim 9, ~~characterized in that~~ wherein the mobile device includes an external bus (105) for connecting a logic, external memory unit (106) to the mobile device (101).

11. *(currently amended)* An arrangement according to claim 9, ~~characterized in that~~ wherein the mobile device includes means for converting the update data into a form (104,

105) required by the external memory unit.

12. *(currently amended)* An arrangement according to claim 9, ~~characterized in that~~ wherein the mobile device includes means for copying the programming driver to its permanent memory unit (102) from the external memory unit (106) prior to programming the update data.

13. *(currently amended)* An arrangement according to claim 9, ~~characterized in that~~ wherein said means are programmable means.